

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

742 Pi

LIBRARY

CURPENT SEAL RECORD

Release:

December 22, 1959

★ JAN 18 1960 ★

12:00 Noon (E.S.T.)

U. S. DEPARTMENT OF AGRICULTURE

PIG CROP REPORT

DECEMBER 1959

The 1959 pig crop totaled 101.6 million head, 8 percent more than the 1958 crop of 94.5 million head, according to the Crop Reporting Board. This year's crop was the largest since the record 121.8 million head produced in 1943. The spring pig crop at 58.6 million was up 12 percent from that of 1958, and the fall crop of 43.0 million was up 2 percent. The increase in the spring crop resulted from an increase in the number of sows farrowing, coupled with a slight increase in pigs saved per litter. The larger fall crop came as the result of a 5 percent increase in sows farrowing which more than offset the 3 percent decline in pigs saved per litter.

Reports on breeding intentions indicate 7,310,000 sows to farrow in the spring of 1960, 12 percent less than the number farrowing last spring. If these intentions materialize and the number of pigs per litter equals the 10-year average with an allowance for upward trend, the 1960 spring pig crop would be approximately 52.0 million head. A crop of this size would be 11 percent less than the 1959 spring crop.

This report is based on a survey of 174,000 farm and ranch operators. These returns were obtained largely in cooperation with the Post Office Department through rural mail carriers.

UNITED STATES

| PIG CROP | Average | | | | 1959 | | 1960 |
|------------------------|------------|------------|------------|------------|------|---------|---------|
| | 1948-57 | | 1958 | 1959 | 1960 | Percent | Percent |
| | | | | | | of 1958 | of 1959 |
| | 1,000 head | 1,000 head | 1,000 head | 1,000 head | | Percent | Percent |
| <u>SPRING</u> | | | | | | | |
| Sows farrowing | 8,164 | 7,428 | 8,282 | 1/ 7,310 | 111 | 88 | |
| Pigs saved | 54,531 | 52,336 | 58,607 | 2/ 52,000 | 112 | 89 | |
| <u>FALL</u> | | | | | | | |
| Sows farrowing | 5,299 | 5,883 | 6,168 | --- | 105 | --- | |
| Pigs saved | 35,655 | 42,163 | 43,029 | --- | 102 | --- | |
| <u>SPRING AND FALL</u> | | | | | | | |
| Total pigs saved | 90,186 | 94,499 | 101,636 | --- | 108 | --- | |
| <u>PIGS PER LITTER</u> | | | | | | | |
| | Number | Number | Number | | | | |
| Spring | 6.70 | 7.05 | 7.07 | --- | --- | --- | |
| Fall | 6.73 | 7.17 | 6.98 | --- | --- | --- | |

1/ As indicated by breeding intentions reports.

2/ Average number of pigs per litter with allowance for trend used to compute indicated number of spring pigs. Number rounded to nearest 500,000 head.

FALL CROP UP 2 PERCENT: The number of pigs saved during the fall of 1959 (June through November) is estimated at 43,029,000 head. This is 2 percent larger than the 1958 fall crop and 21 percent above the 1948-57 fall average. The 1959 fall pig crop was the third largest of record, being exceeded only in 1942 and 1943. Numbers were up from last year in all regions except the East and West North Central States, where the number of pigs saved was about the same as a year earlier. The North Atlantic States were up 6 percent; South Atlantic, 4 percent; South Central, 9 percent; and Western States, up 12 percent.

The number of sows farrowing in the fall of 1959 is estimated at 6,168,000 head, 5 percent more than farrowed in the fall of 1958 and 16 percent above average. Fall farrowings were 3 percentage points less than indicated by farmers' reports on breeding intentions last June. The 1959 fall farrowing by regions as percent of 1958 and intentions as reported last June are as follows: North Atlantic, 105 percent now and 106 percent last June; East North Central 103 percent and 104 percent; West North Central 104 and 109; South Atlantic 106 and 110, South Central 112 and 114, and West 112 and 110.

Pigs saved per litter averaged 6.98 as compared with the record high of 7.17 pigs per litter in the fall of 1958. Decreases in average litter size were reported in the East North Central, West North Central, South Atlantic, and South Central regions. Litter size remained unchanged in the North Atlantic States and showed a small increase in the West.

Compared with a year earlier, 1959 fall farrowings were relatively larger in June and July and relatively smaller in August, September, October, and November. The percentages of sows farrowing by months during the fall of 1959 as compared with those for the fall of 1958 are as follows: June 15.5 and 14.0, July 16.0 and 15.4, August 23.1 and 23.8, September 25.4 and 25.6, October 13.2 and 14.0, and November 6.8 and 7.2.

1959 SPRING PIG CROP UP 12 PERCENT: The 1959 spring pig crop is estimated at 58,607,000 pigs, 12 percent above 1958. A total of 8,282,000 sows farrowed in the spring of 1959, compared with 7,428,000 during the same period a year earlier. Pigs saved per litter at 7.07 was the second highest on record for the spring crop, being exceeded only by the 7.12 pigs saved per litter in the spring of 1957.

ANNUAL PIG CROP 8 PERCENT LARGER: Spring and fall pig crops combined for 1959 are estimated at 101,636,000 head, 8 percent more than the 94,499,000 head in 1958. For the ten-year period (1948-57) the average pig crop totaled 90,186,000 head.

1960 SPRING INTENTIONS DOWN 12 PERCENT: Reports from farmers on breeding intentions for the spring of 1960 indicate 7,310,000 sows to farrow (December 1959 through May 1960). This would be 12 percent less than a year earlier; 2 percent below 1958, and 10 percent below the 1948-57 average. All regions of the country show a decline except the North Atlantic States which show a 2 percent increase over 1959. Other regions and changes from 1959 are as follows: West North Central down 15 percent; East North Central, South Atlantic, and South Central are all down 9 percent; and West down 7 percent.

If intentions for spring farrowings materialize and the number of pigs saved per litter equals the average, with an allowance for trend, the 1960 spring crop would be 11 percent smaller than a year earlier.

SELECTED CORN BELT STATES: The number of sows intended to farrow in 10 of the Corn Belt States in the spring of 1960 is expected to be 13 percent less than a year earlier. These States are Ohio, Indiana, Illinois, Wisconsin, Minnesota, Iowa, Missouri, South Dakota, Nebraska, and Kansas. These 10 States accounted for 74 percent of the 1959 United States spring pig crop.


Present intentions indicate decreases in both the winter (December-February) and spring (March-May) quarters. The number of sows expected to farrow during the months of December, January, and February totals 1,820,000 head, 15 percent less than the 2,149,000 farrowed during this period a year earlier. The 3,500,000 head intended for farrowing in March, April, and May of 1960 for the above States are 11 percent, or 433,000 head, less than the 3,933,000 sows farrowing in these months in 1959.

The December 1 survey shows considerable fewer farrowings intended during the winter months (December, January, and February) than were intended in September. There was a gradual downward trend in hog prices during 1959 with the exception of an upswing for a short period in late August. In mid-November prices received by farmers for hogs averaged \$12.20 per cwt., down \$5.70 from a year earlier. Marketings of all hogs and of sows have been relatively large in recent weeks.

In the above 10 States the number of sows farrowing in the fall of 1959 totaled 4,418,000 head, 3 percent more than in the fall of 1958. This is about the same number as was indicated by farmers' reports on September 1. Sows farrowing during June, July, and August totaled 2,419,000 head, 5 percent more than in 1958. The number farrowing during September, October, and November totaled 1,999,000 head, up 2 percent from the 1,961,000 head in 1958.

ALL HOGS IN 9 STATES UNCHANGED: The number of all hogs and pigs on farms December 1 in 9 of the Corn Belt States for which comparable data are available totaled 41,470,000 head, about the same as the 41,484,000 on hand a year earlier. Ohio, Illinois, Iowa and Kansas showed an increase in inventories while Indiana, Wisconsin, Minnesota and South Dakota registered a decrease. The number of all hogs reported on Nebraska farms remained unchanged from the previous year. Hogs and pigs six months old and over for the nine States totaled 15,387,000 as compared with 15,342,000 as of December 1, 1958. The number under 6 months of age at 26,083,000 head compared with 26,142,000 a year earlier.

APPROVED:



ACTING SECRETARY OF AGRICULTURE

CROP REPORTING BOARD:

S. R. Newell, Chairman,

F. J. Graham, Secretary,

R. K. Smith,

R. H. Moats,

E. B. Hannawald,

H. V. Edwards,

D. L. Herbert,

George Wangen, Jr.,

F. T. Galloway,

D. S. Jones,

Roy Potas,

H. A. White,

R. B. Karnes.

Sows farrowing, pigs per litter, and pigs saved, spring and fall, 1/ 1955-60

| Year | Sows farrowing | | Pigs per litter | | Pigs saved | | Year |
|-------------------------------------|----------------|------------|-----------------|--------|------------|------------|---------|
| | Spring | Fall | Spring | Fall | Spring | Fall | |
| | 1,000 head | 1,000 head | Number | Number | 1,000 head | 1,000 head | |
| <u>UNITED STATES</u> | | | | | | | |
| 1955..... | 8,359 | 5,586 | 6.90 | 6.81 | 57,690 | 38,029 | 95,719 |
| 1956..... | 7,665 | 5,194 | 6.94 | 7.00 | 53,186 | 36,386 | 89,572 |
| 1957..... | 7,277 | 5,124 | 7.12 | 7.06 | 51,812 | 36,148 | 87,960 |
| 1958..... | 7,428 | 5,883 | 7.05 | 7.17 | 52,336 | 42,163 | 94,499 |
| 1959..... | 8,282 | 6,168 | 7.07 | 6.98 | 58,607 | 43,029 | 101,636 |
| 1960..... | 2/ 7,310 | --- | 3/ 7.10 | --- | 3/ 52,000 | --- | --- |
| <u>CORN BELT</u> (North Central) | | | | | | | |
| 1955..... | 6,651 | 4,102 | 6.96 | 6.85 | 46,308 | 28,085 | 74,393 |
| 1956..... | 5,889 | 3,769 | 7.03 | 7.10 | 41,404 | 26,743 | 68,147 |
| 1957..... | 5,578 | 3,740 | 7.21 | 7.17 | 40,231 | 26,810 | 67,041 |
| 1958..... | 5,727 | 4,385 | 7.14 | 7.23 | 40,879 | 31,711 | 72,590 |
| 1959..... | 6,283 | 4,532 | 7.13 | 7.02 | 44,828 | 31,808 | 76,636 |
| 1960..... | 2/ 5,473 | --- | 3/ 7.15 | --- | 3/ 39,000 | --- | --- |

1/ Spring, December through May; fall, June through November.

2/ Spring farrowing indicated from breeding intentions reports.

3/ Average number of pigs per litter with allowance for trend used to compute indicated number of spring pigs. Number rounded to nearest 500,000 head.

Fall farrowings, by months, United States

| Year | Sows farrowing in the fall | | | | | | Total |
|---|----------------------------|------------|------------|------------|------------|------------|---------|
| | June | July | August | Sept. | Oct. | Nov. | |
| | 1,000 head | 1,000 head | 1,000 head | 1,000 head | 1,000 head | 1,000 head | |
| 1948-57 av..... | 734 | 669 | 1,216 | 1,526 | 802 | 352 | 5,299 |
| 1955..... | 752 | 830 | 1,373 | 1,475 | 795 | 361 | 5,586 |
| 1956..... | 667 | 712 | 1,267 | 1,417 | 762 | 369 | 5,194 |
| 1957..... | 735 | 757 | 1,185 | 1,334 | 749 | 364 | 5,124 |
| 1958..... | 823 | 909 | 1,401 | 1,506 | 821 | 423 | 5,883 |
| 1959..... | 955 | 986 | 1,422 | 1,566 | 817 | 422 | 6,168 |
| <u>Percentage distribution of fall farrowings</u> | | | | | | | |
| Year | June | July | August | Sept. | Oct. | Nov. | Total |
| | Percent | Percent | Percent | Percent | Percent | Percent | Percent |
| 1948-57 av..... | 13.8 | 12.6 | 23.0 | 28.8 | 15.1 | 6.7 | 100.0 |
| 1955..... | 13.5 | 14.9 | 24.6 | 26.4 | 14.2 | 6.4 | 100.0 |
| 1956..... | 12.8 | 13.7 | 24.4 | 27.3 | 14.7 | 7.1 | 100.0 |
| 1957..... | 14.4 | 14.8 | 23.1 | 26.0 | 14.6 | 7.1 | 100.0 |
| 1958..... | 14.0 | 15.4 | 23.8 | 25.6 | 14.0 | 7.2 | 100.0 |
| 1959..... | 15.5 | 16.0 | 23.1 | 25.4 | 13.2 | 6.8 | 100.0 |

Sows farrowing and pigs per litter

| State and Division | Sows farrowing | | | | | | | | Pigs per litter | | | | |
|--------------------------|---------------------------|---------------|---------------|---------------|--------------------------|---------------|---------------|---------------|-----------------|-------------|-------------|-------------|-------------|
| | Spring (Dec. through May) | | | | Fall (June through Nov.) | | | | Spring | | Fall | | |
| | 1960 | | | | 1959 | | | | 1958 | | 1959 | | |
| | Average: 1948-57 | 1958 | 1959 | 1/ of 1959 | Average: 1948-57 | 1958 | 1959 | of 1958 | 1958 | 1959 | 1958 | 1959 | |
| | 1,000 head | 1,000 head | 1,000 head | 1,000 head | Per- cent | 1,000 head | 1,000 head | 1,000 head | Per- cent | Num- ber | Num- ber | Num- ber | Num- ber |
| Maine | 4 | 2 | 2 | 2 | 100 | 3 | 2 | 3 | 114 | 6.6 | 6.6 | 6.4 | 6.5 |
| N. H. | 2 | 1 | 1 | 1 | 108 | 1 | 1 | 1 | 108 | 6.9 | 6.3 | 7.2 | 6.8 |
| Vt. | 2 | 1 | 1 | 1 | 100 | 1 | 1 | 1 | 100 | 7.0 | 7.0 | 7.2 | 6.9 |
| Moss. | 14 | 13 | 12 | 11 | 92 | 11 | 13 | 13 | 100 | 6.1 | 6.2 | 6.0 | 6.0 |
| R. I. | 1 | 1 | 1 | 1 | 100 | 1 | 1 | 1 | 110 | 6.0 | 6.1 | 6.2 | 6.5 |
| Conn. | 3 | 2 | 2 | 2 | 89 | 3 | 2 | 2 | 95 | 6.7 | 7.2 | 6.8 | 6.5 |
| N.Y. | 23 | 15 | 18 | 16 | 89 | 17 | 13 | 13 | 100 | 7.6 | 7.4 | 7.7 | 7.5 |
| N. J. | 18 | 17 | 16 | 17 | 106 | 14 | 15 | 14 | 93 | 6.4 | 6.0 | 5.4 | 6.3 |
| Pa. | 79 | 57 | 65 | 70 | 108 | 66 | 52 | 58 | 112 | 7.0 | 7.2 | 7.3 | 7.1 |
| N. Atl. | 145 | 109 | 118 | 121 | 103 | 117 | 100 | 106 | 106 | 6.26 | 6.23 | 6.37 | 6.27 |
| Ohio | 389 | 341 | 368 | 353 | 96 | 338 | 311 | 330 | 106 | 6.67 | 7.00 | 7.22 | 7.04 |
| Ind. | 574 | 537 | 580 | 522 | 90 | 528 | 508 | 498 | 98 | 6.98 | 7.17 | 7.21 | 7.03 |
| Ill. | 926 | 902 | 974 | 877 | 90 | 625 | 782 | 829 | 106 | 7.03 | 7.05 | 7.22 | 7.05 |
| Mich. | 110 | 90 | 105 | 91 | 87 | 87 | 90 | 91 | 101 | 7.30 | 7.03 | 7.39 | 7.02 |
| Wis. | 320 | 301 | 319 | 281 | 88 | 181 | 223 | 225 | 101 | 7.50 | 7.30 | 7.50 | 7.16 |
| E.N.C. | 2,318 | 2,171 | 2,346 | 2,124 | 91 | 1,760 | 1,914 | 1,973 | 103 | 7.07 | 7.11 | 7.26 | 7.05 |
| Minn. | 633 | 553 | 608 | 517 | 85 | 288 | 378 | 366 | 102 | 7.27 | 7.25 | 7.22 | 6.92 |
| Iowa | 1,881 | 1,629 | 1,776 | 1,663 | 88 | 934 | 1,169 | 1,216 | 104 | 7.23 | 7.18 | 7.27 | 6.98 |
| Mo. | 492 | 506 | 567 | 527 | 93 | 422 | 478 | 526 | 110 | 7.06 | 7.10 | 7.19 | 7.06 |
| N. Dak. | 90 | 87 | 96 | 62 | 65 | 16 | 24 | 23 | 97 | 7.24 | 7.07 | 7.35 | 6.98 |
| S. Dak. | 317 | 292 | 321 | 225 | 70 | 65 | 110 | 99 | 90 | 7.09 | 7.14 | 7.03 | 6.88 |
| Nebr. | 448 | 360 | 414 | 331 | 80 | 168 | 206 | 202 | 98 | 7.08 | 7.06 | 7.00 | 6.99 |
| Kans. | 150 | 129 | 155 | 124 | 80 | 103 | 106 | 107 | 101 | 7.08 | 6.96 | 7.21 | 7.13 |
| W.N.C. | 4,010 | 3,556 | 3,937 | 3,349 | 85 | 1,995 | 2,471 | 2,559 | 104 | 7.18 | 7.15 | 7.21 | 6.99 |
| N. Cent. | 6,328 | 5,727 | 6,283 | 5,473 | 87 | 3,755 | 4,385 | 4,532 | 103 | 7.14 | 7.13 | 7.23 | 7.02 |
| Del. | 5 | 4 | 4 | 4 | 100 | 4 | 4 | 4 | 105 | 7.1 | 7.1 | 7.1 | 6.7 |
| Md. | 29 | 23 | 25 | 24 | 96 | 24 | 20 | 22 | 110 | 7.2 | 7.2 | 7.2 | 6.9 |
| Va. | 86 | 79 | 84 | 84 | 100 | 75 | 73 | 79 | 108 | 6.8 | 6.9 | 7.3 | 7.2 |
| W. Va. | 19 | 11 | 13 | 13 | 100 | 17 | 11 | 14 | 127 | 7.4 | 7.5 | 7.8 | 7.2 |
| N. Car. | 154 | 185 | 226 | 203 | 90 | 115 | 135 | 142 | 105 | 6.9 | 7.1 | 7.2 | 7.1 |
| S. Car. | 71 | 69 | 82 | 75 | 91 | 63 | 59 | 63 | 106 | 6.3 | 6.4 | 6.5 | 6.5 |
| Ge. | 197 | 229 | 259 | 231 | 89 | 171 | 181 | 195 | 108 | 6.6 | 6.9 | 7.0 | 6.7 |
| Fla. | 70 | 60 | 66 | 60 | 91 | 53 | 50 | 44 | 88 | 6.2 | 6.8 | 6.5 | 7.0 |
| S. Atl. | 630 | 660 | 759 | 694 | 91 | 523 | 533 | 553 | 106 | 6.68 | 6.92 | 7.02 | 6.89 |
| Ky. | 153 | 153 | 171 | 162 | 95 | 126 | 138 | 153 | 111 | 6.7 | 7.1 | 7.2 | 7.0 |
| Tenn. | 144 | 151 | 187 | 181 | 97 | 122 | 132 | 143 | 112 | 6.8 | 6.8 | 7.1 | 7.0 |
| Ala. | 121 | 128 | 146 | 134 | 92 | 119 | 115 | 130 | 113 | 6.7 | 7.0 | 6.9 | 6.9 |
| Miss. | 83 | 79 | 95 | 88 | 93 | 72 | 74 | 89 | 120 | 6.2 | 6.4 | 6.4 | 6.4 |
| Ark. | 74 | 40 | 54 | 46 | 85 | 60 | 44 | 51 | 117 | 7.0 | 6.9 | 7.2 | 6.7 |
| La. | 68 | 40 | 46 | 44 | 96 | 57 | 38 | 44 | 115 | 6.2 | 6.2 | 6.5 | 6.0 |
| Okla. | 79 | 53 | 65 | 53 | 81 | 66 | 57 | 62 | 109 | 6.8 | 6.9 | 6.9 | 6.9 |
| Tex. | 141 | 125 | 170 | 139 | 82 | 134 | 127 | 133 | 105 | 7.1 | 6.9 | 7.0 | 6.8 |
| S. Cent. | 862 | 769 | 934 | 847 | 91 | 755 | 725 | 810 | 112 | 6.73 | 6.85 | 6.96 | 6.80 |
| Mont. | 22 | 13 | 20 | 19 | 95 | 13 | 14 | 16 | 114 | 7.5 | 7.2 | 7.6 | 7.5 |
| Idaho | 21 | 15 | 17 | 15 | 88 | 14 | 12 | 13 | 108 | 7.4 | 7.3 | 7.3 | 7.4 |
| Wyo. | 7 | 4 | 5 | 5 | 98 | 5 | 4 | 4 | 100 | 7.2 | 7.2 | 7.0 | 6.6 |
| Colo. | 31 | 22 | 29 | 27 | 93 | 22 | 19 | 25 | 130 | 6.8 | 6.7 | 6.9 | 6.9 |
| N. Mex. | 7 | 5 | 5 | 4 | 84 | 5 | 3 | 3 | 95 | 7.0 | 6.7 | 7.0 | 6.7 |
| Ariz. | 3 | 3 | 3 | 3 | 91 | 2 | 3 | 3 | 103 | 7.5 | 7.2 | 6.5 | 7.0 |
| Utah | 10 | 9 | 12 | 13 | 108 | 7 | 7 | 11 | 157 | 6.8 | 7.1 | 6.6 | 6.7 |
| Nev. | 3 | 3 | 2 | 3 | 117 | 2 | 2 | 2 | 94 | 6.5 | 6.8 | 6.9 | 6.5 |
| Wash. | 16 | 15 | 19 | 16 | 85 | 14 | 15 | 16 | 105 | 7.4 | 7.6 | 7.5 | 7.9 |
| Oreg. | 20 | 19 | 25 | 20 | 80 | 15 | 20 | 21 | 105 | 7.8 | 7.6 | 7.4 | 7.7 |
| Calif. | 59 | 50 | 51 | 50 | 95 | 49 | 41 | 43 | 105 | 6.1 | 6.2 | 6.4 | 6.2 |
| West | 198 | 163 | 186 | 175 | 93 | 149 | 140 | 157 | 112 | 6.92 | 6.93 | 6.97 | 6.99 |
| U. S. | 8,164 | 7,420 | 8,122 | 7,310 | 80 | 5,299 | 5,883 | 6,166 | 105 | 7.05 | 7.07 | 7.17 | 6.98 |

1/ Number indicated to farrow from breeding intentions reports.

2/ Percentages based on unrounded numbers.

Figs saved

| State and Division | Spring (Dec. through May) | | | | Fall (June through Nov.) | | | | Year | | | |
|--------------------|---------------------------|--------|--------|-------------|--------------------------|--------|--------|-------------|---------|--------|---------|-------------|
| | Average | 1958 | 1959 | 1959 | Average | 1958 | 1959 | 1959 | Average | 1958 | 1959 | 1959 |
| | 1948-57 | head | head | as% of 1958 | 1948-57 | head | head | as% of 1958 | 1948-57 | head | head | as% of 1958 |
| | 1,000 | 1,000 | 1,000 | Per- | 1,000 | 1,000 | 1,000 | Per- | 1,000 | 1,000 | 1,000 | Per- |
| | head | head | head | cent | head | head | head | cent | head | head | head | cent |
| Maine | 25 | 14 | 15 | 107 | 20 | 14 | 16 | 114 | 45 | 28 | 31 | 111 |
| N. H. | 11 | 8 | 8 | 100 | 9 | 9 | 9 | 100 | 20 | 17 | 17 | 100 |
| Vt. | 12 | 10 | 10 | 100 | 10 | 8 | 8 | 100 | 22 | 18 | 18 | 100 |
| Mass. | 79 | 79 | 74 | 94 | 65 | 78 | 78 | 100 | 144 | 157 | 152 | 97 |
| R. I. | 5 | 5 | 6 | 120 | 5 | 6 | 7 | 117 | 11 | 11 | 13 | 118 |
| Conn. | 18 | 12 | 13 | 108 | 19 | 14 | 12 | 86 | 37 | 26 | 25 | 96 |
| N.Y. | 169 | 114 | 133 | 117 | 126 | 100 | 98 | 98 | 295 | 214 | 231 | 108 |
| N. J. | 107 | 109 | 96 | 88 | 82 | 81 | 88 | 109 | 189 | 190 | 184 | 97 |
| Pa. | 540 | 399 | 468 | 117 | 460 | 380 | 412 | 108 | 1,000 | 779 | 880 | 113 |
| N. Atl. | 967 | 750 | 823 | 110 | 796 | 690 | 728 | 106 | 1,763 | 1,440 | 1,551 | 108 |
| Ohio | 2,659 | 2,343 | 2,576 | 110 | 2,350 | 2,245 | 2,323 | 101 | 5,009 | 4,586 | 4,899 | 107 |
| Ind. | 3,920 | 3,740 | 4,159 | 111 | 3,594 | 3,663 | 3,501 | 96 | 7,513 | 7,411 | 7,660 | 103 |
| Ill. | 6,147 | 6,341 | 6,867 | 108 | 4,209 | 5,646 | 5,844 | 104 | 10,355 | 11,987 | 12,711 | 106 |
| Mich. | 767 | 657 | 738 | 112 | 608 | 665 | 639 | 96 | 1,375 | 1,322 | 1,377 | 104 |
| Wisc. | 2,206 | 2,253 | 2,329 | 103 | 1,242 | 1,672 | 1,611 | 96 | 3,448 | 3,930 | 3,940 | 100 |
| E.N.C. | 15,698 | 15,347 | 16,669 | 109 | 12,002 | 13,891 | 14,918 | 100 | 27,700 | 29,238 | 30,587 | 105 |
| Minn. | 4,225 | 4,020 | 4,408 | 110 | 1,919 | 2,729 | 2,671 | 98 | 6,144 | 6,749 | 7,079 | 105 |
| Iowa | 12,900 | 11,778 | 12,752 | 108 | 6,383 | 8,499 | 8,488 | 100 | 19,284 | 20,277 | 21,240 | 105 |
| Mo. | 3,348 | 3,572 | 4,026 | 113 | 2,906 | 3,437 | 3,714 | 108 | 6,253 | 7,009 | 7,740 | 110 |
| N. Dak. | 594 | 630 | 679 | 108 | 104 | 176 | 161 | 91 | 698 | 806 | 840 | 104 |
| S. Dak. | 2,023 | 2,070 | 2,232 | 111 | 417 | 773 | 681 | 88 | 2,440 | 2,843 | 2,973 | 105 |
| Nebr. | 2,887 | 2,549 | 2,923 | 115 | 1,110 | 1,442 | 1,412 | 98 | 3,998 | 3,991 | 4,335 | 109 |
| Kans. | 996 | 913 | 1,079 | 118 | 692 | 764 | 763 | 100 | 1,688 | 1,677 | 1,842 | 110 |
| W.N.C. | 26,974 | 25,532 | 28,159 | 110 | 13,531 | 17,820 | 17,890 | 100 | 40,505 | 43,352 | 46,049 | 106 |
| N. C. | 42,672 | 40,879 | 44,828 | 110 | 25,533 | 31,711 | 31,808 | 100 | 68,205 | 72,500 | 76,636 | 106 |
| Del. | 31 | 30 | 30 | 100 | 27 | 26 | 26 | 100 | 58 | 55 | 56 | 100 |
| Md. | 199 | 166 | 180 | 108 | 170 | 144 | 152 | 106 | 369 | 310 | 332 | 107 |
| Va. | 572 | 537 | 580 | 108 | 520 | 533 | 569 | 107 | 1,093 | 1,070 | 1,149 | 107 |
| W. Va. | 135 | 81 | 98 | 121 | 123 | 86 | 101 | 117 | 258 | 167 | 199 | 119 |
| N. C. | 1,015 | 1,276 | 1,605 | 126 | 772 | 972 | 1,008 | 104 | 1,786 | 2,248 | 2,613 | 116 |
| S. C. | 434 | 435 | 525 | 121 | 401 | 364 | 410 | 107 | 835 | 819 | 935 | 114 |
| Ga. | 1,266 | 1,511 | 1,787 | 118 | 1,092 | 1,267 | 1,306 | 103 | 2,357 | 2,778 | 3,093 | 111 |
| Fla. | 415 | 372 | 449 | 121 | 304 | 325 | 308 | 95 | 718 | 697 | 757 | 109 |
| S. Atl. | 4,066 | 4,408 | 5,254 | 119 | 3,408 | 3,737 | 3,880 | 104 | 7,475 | 8,145 | 9,134 | 112 |
| Ky. | 1,032 | 1,025 | 1,214 | 118 | 871 | 994 | 1,071 | 108 | 1,903 | 2,019 | 2,285 | 113 |
| Tenn. | 957 | 1,027 | 1,272 | 124 | 833 | 937 | 1,036 | 111 | 1,790 | 1,964 | 2,308 | 118 |
| Ala. | 791 | 858 | 1,022 | 119 | 780 | 794 | 897 | 113 | 1,571 | 1,652 | 1,919 | 116 |
| Miss. | 471 | 490 | 608 | 124 | 421 | 474 | 570 | 120 | 892 | 964 | 1,178 | 122 |
| Ark. | 475 | 280 | 373 | 133 | 394 | 317 | 342 | 108 | 869 | 597 | 715 | 120 |
| La. | 392 | 248 | 285 | 115 | 330 | 247 | 264 | 107 | 721 | 495 | 549 | 111 |
| Okla. | 514 | 360 | 448 | 124 | 439 | 393 | 428 | 109 | 953 | 753 | 876 | 116 |
| Tex. | 921 | 886 | 1,172 | 132 | 871 | 889 | 904 | 102 | 1,793 | 1,777 | 2,077 | 117 |
| S. Cent. | 5,552 | 5,176 | 6,395 | 124 | 4,940 | 5,045 | 5,512 | 109 | 10,492 | 10,321 | 11,907 | 116 |
| Mont. | 146 | 135 | 144 | 107 | 90 | 106 | 120 | 113 | 237 | 241 | 284 | 110 |
| Idaho | 135 | 111 | 124 | 112 | 97 | 88 | 96 | 109 | 232 | 199 | 220 | 111 |
| Wyo. | 45 | 29 | 36 | 124 | 35 | 29 | 27 | 93 | 80 | 58 | 63 | 109 |
| Colo. | 191 | 150 | 194 | 129 | 145 | 131 | 172 | 131 | 336 | 281 | 366 | 130 |
| N. Mex. | 47 | 32 | 34 | 106 | 33 | 24 | 21 | 88 | 80 | 56 | 55 | 98 |
| Ariz. | 18 | 22 | 24 | 109 | 16 | 21 | 24 | 114 | 34 | 43 | 48 | 112 |
| Utah | 63 | 62 | 85 | 137 | 49 | 46 | 74 | 161 | 112 | 108 | 159 | 147 |
| Nev. | 16 | 18 | 16 | 89 | 11 | 13 | 12 | 92 | 27 | 31 | 28 | 90 |
| Wash. | 111 | 111 | 144 | 130 | 96 | 112 | 126 | 112 | 207 | 223 | 270 | 121 |
| Oreg. | 138 | 148 | 190 | 128 | 109 | 148 | 162 | 109 | 247 | 296 | 352 | 119 |
| Calif. | 363 | 305 | 316 | 104 | 296 | 262 | 267 | 102 | 660 | 567 | 583 | 103 |
| West | 1,273 | 1,123 | 1,307 | 116 | 978 | 980 | 1,101 | 112 | 2,251 | 2,103 | 2,408 | 115 |
| U. S. | 54,531 | 52,336 | 58,607 | 112 | 35,655 | 42,163 | 43,029 | 102 | 90,186 | 94,499 | 101,636 | 108 |

Fall farrowings, by months, by States, 1958

| State and Division | Sows farrowing in the fall | | | | | | | Percentage distribution of fall farrowings | | | | | |
|--------------------|----------------------------|------------|------------|------------|------------|------------|------------|--|----------|----------|----------|----------|----------|
| | June | July | Aug. | Sept. | Oct. | Nov. | Total | June | July | Aug. | Sept. | Oct. | Nov. |
| | 1,000 head | 1,000 head | 1,000 head | 1,000 head | 1,000 head | 1,000 head | 1,000 head | Per-cent | Per-cent | Per-cent | Per-cent | Per-cent | Per-cent |
| N. Y. | 1 | 2 | 3 | 4 | 2 | 1 | 13 | 8.7 | 11.7 | 20.0 | 31.7 | 17.7 | 10.2 |
| Pa. | 5 | 7 | 10 | 16 | 9 | 5 | 52 | 9.7 | 13.5 | 20.0 | 29.9 | 16.7 | 10.2 |
| Other | | | | | | | | | | | | | |
| N. Atl. 1/ | 5 | 6 | 8 | 8 | 5 | 3 | 35 | 14.3 | 17.1 | 22.9 | 22.8 | 14.3 | 8.6 |
| N. Atl. | 11 | 15 | 21 | 28 | 16 | 9 | 100 | 11.0 | 15.0 | 21.0 | 28.0 | 16.0 | 9.0 |
| Ohio | 29 | 45 | 86 | 91 | 39 | 21 | 311 | 9.4 | 14.6 | 27.5 | 29.2 | 12.7 | 6.6 |
| Ind. | 79 | 105 | 145 | 102 | 45 | 32 | 508 | 15.6 | 20.7 | 28.5 | 20.0 | 8.9 | 6.3 |
| Ill. | 102 | 120 | 196 | 216 | 106 | 42 | 782 | 13.0 | 15.4 | 25.1 | 27.6 | 13.5 | 5.4 |
| Mich. | 16 | 15 | 19 | 21 | 13 | 6 | 90 | 17.5 | 16.9 | 21.1 | 22.9 | 14.9 | 6.7 |
| Wisc. | 31 | 40 | 61 | 48 | 27 | 16 | 223 | 13.8 | 18.1 | 27.4 | 21.4 | 11.9 | 7.4 |
| E.N.C. | 257 | 325 | 507 | 478 | 230 | 117 | 1,914 | 13.4 | 17.0 | 26.5 | 25.0 | 12.0 | 6.1 |
| Minn. | 63 | 63 | 92 | 92 | 48 | 20 | 378 | 16.8 | 16.6 | 24.3 | 24.3 | 12.6 | 5.4 |
| Iowa | 198 | 152 | 259 | 337 | 158 | 65 | 1,169 | 16.9 | 13.0 | 22.2 | 28.8 | 13.5 | 5.6 |
| Mo., | 50 | 71 | 118 | 130 | 75 | 34 | 478 | 10.4 | 14.8 | 24.7 | 27.2 | 15.8 | 7.1 |
| N. Dak. | 8 | 4 | 4 | 5 | 2 | 1 | 24 | 32.4 | 17.5 | 17.2 | 19.1 | 10.6 | 3.2 |
| S. Dak. | 29 | 11 | 18 | 30 | 16 | 6 | 110 | 26.7 | 10.0 | 16.4 | 27.5 | 14.1 | 5.3 |
| Nebr. | 29 | 23 | 43 | 62 | 31 | 18 | 206 | 14.2 | 11.1 | 20.8 | 30.3 | 14.9 | 8.7 |
| Kans. | 13 | 13 | 26 | 27 | 16 | 11 | 106 | 12.6 | 12.2 | 24.4 | 25.7 | 14.9 | 10.2 |
| W.N.C. | 390 | 337 | 560 | 683 | 346 | 155 | 2,471 | 15.8 | 13.6 | 22.7 | 27.6 | 14.0 | 6.3 |
| N. C. | 647 | 662 | 1,067 | 1,161 | 576 | 272 | 4,385 | 14.8 | 15.1 | 24.3 | 26.5 | 13.1 | 6.2 |
| Del. & Md. | 2 | 4 | 7 | 6 | 4 | 1 | 24 | 8.3 | 16.7 | 29.1 | 25.0 | 16.7 | 4.2 |
| Va. | 7 | 11 | 16 | 21 | 11 | 7 | 73 | 10.3 | 14.9 | 22.0 | 28.5 | 15.0 | 9.3 |
| W. Va. | 1 | 1 | 2 | 4 | 2 | 1 | 11 | 8.1 | 9.6 | 20.3 | 33.9 | 18.5 | 9.6 |
| N. Car. | 14 | 25 | 31 | 29 | 23 | 13 | 135 | 10.4 | 18.4 | 22.9 | 21.6 | 17.2 | 9.5 |
| S. Car. | 8 | 8 | 14 | 12 | 9 | 8 | 59 | 13.3 | 14.2 | 23.2 | 19.9 | 16.3 | 13.1 |
| Ga. | 19 | 27 | 42 | 35 | 35 | 23 | 181 | 10.3 | 15.0 | 23.1 | 19.3 | 19.5 | 12.8 |
| Fla. | 6 | 7 | 10 | 12 | 10 | 5 | 50 | 12.4 | 13.7 | 19.7 | 24.4 | 20.5 | 9.3 |
| S. Atl. | 57 | 83 | 122 | 119 | 94 | 58 | 533 | 10.7 | 15.6 | 22.9 | 22.3 | 17.6 | 10.9 |
| Ky. | 15 | 25 | 33 | 34 | 20 | 11 | 138 | 10.7 | 17.9 | 24.3 | 24.8 | 14.4 | 7.9 |
| Tenn. | 18 | 24 | 30 | 28 | 19 | 13 | 132 | 13.4 | 18.3 | 23.2 | 21.0 | 14.4 | 9.7 |
| Ala. | 17 | 23 | 24 | 25 | 115 | 11 | 115 | 14.9 | 19.9 | 20.7 | 21.3 | 13.3 | 9.9 |
| Miss. | 10 | 12 | 15 | 16 | 13 | 8 | 74 | 14.0 | 16.8 | 20.0 | 20.9 | 17.6 | 10.7 |
| Ark. | 6 | 8 | 11 | 8 | 7 | 4 | 44 | 13.9 | 17.5 | 26.2 | 17.2 | 16.9 | 8.3 |
| La. | 4 | 6 | 7 | 8 | 8 | 5 | 38 | 11.7 | 15.9 | 18.6 | 19.8 | 20.3 | 13.7 |
| Okla. | 16 | 7 | 14 | 15 | 10 | 15 | 157 | 10.1 | 11.9 | 24.2 | 26.5 | 17.9 | 9.4 |
| Tex. | 12 | 23 | 27 | 31 | 20 | 14 | 127 | 9.6 | 17.9 | 20.9 | 24.8 | 15.9 | 11.1 |
| S. Cent. | 88 | 128 | 161 | 165 | 112 | 71 | 725 | 12.1 | 17.7 | 22.2 | 22.8 | 15.4 | 9.8 |
| Calo. | 3 | 3 | 4 | 4 | 3 | 2 | 19 | 14.1 | 14.6 | 20.1 | 24.5 | 17.5 | 9.2 |
| Wash. | 1 | 3 | 3 | 4 | 3 | 1 | 15 | 9.6 | 17.1 | 21.3 | 24.6 | 19.0 | 8.4 |
| Oreg. | 2 | 3 | 5 | 5 | 3 | 2 | 20 | 12.8 | 15.7 | 25.9 | 23.4 | 13.0 | 9.2 |
| Calif. | 6 | 6 | 9 | 9 | 7 | 4 | 41 | 14.5 | 14.7 | 21.3 | 22.1 | 16.7 | 10.7 |
| Other | | | | 1 | | | | | | | | | |
| West 2/ | 8 | 6 | 9 | 11 | 7 | 4 | 45 | 17.8 | 13.3 | 20.0 | 24.4 | 15.6 | 8.9 |
| West | 20 | 21 | 30 | 33 | 23 | 13 | 140 | 14.3 | 15.0 | 21.4 | 23.6 | 16.4 | 9.3 |
| U. S. | 823 | 909 | 1,401 | 1,506 | 821 | 423 | 5,983 | 14.0 | 15.4 | 23.8 | 25.6 | 14.0 | 7.2 |

1/ Includes Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut and New Jersey.

2/ Includes Montana, Idaho, Wyoming, New Mexico, Arizona, Utah and Nevada.

Fall farrowings, by months, by States, 1959

| State and Division | Sows farrowing in the fall | | | | | | | Percentage distribution of fall farrowings | | | | | |
|--------------------------|----------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---|--------------|--------------|--------------|--------------|--------------|
| | June | July | Aug. | Sept. | Oct. | Nov. | Total | June | July | Aug. | Sept. | Oct. | Nov. |
| | 1,000 head | 1,000 head | 1,000 head | 1,000 head | 1,000 head | 1,000 head | 1,000 head | Per- cent | Per- cent | Per- cent | Per- cent | Per- cent | Per- cent |
| N. Y. | 2 | 2 | 3 | 3 | 2 | 1 | 13 | 12.4 | 12.9 | 21.7 | 25.0 | 20.0 | 8.0 |
| Pa. | 6 | 9 | 14 | 15 | 9 | 5 | 58 | 10.6 | 14.7 | 23.7 | 26.5 | 15.6 | 8.9 |
| Other N. Atl. 1/ | 5 | 6 | 8 | 8 | 5 | 3 | 35 | 14.3 | 17.1 | 22.9 | 22.8 | 14.3 | 8.6 |
| N. Atl. | 13 | 17 | 25 | 26 | 16 | 9 | 106 | 12.3 | 16.0 | 23.6 | 24.5 | 15.1 | 8.5 |
| Ohio | 36 | 51 | 91 | 86 | 42 | 24 | 330 | 10.8 | 15.5 | 27.7 | 26.0 | 12.6 | 7.4 |
| Ind. | 76 | 94 | 129 | 113 | 52 | 34 | 498 | 15.3 | 18.8 | 26.0 | 22.6 | 10.5 | 6.8 |
| Ill. | 118 | 132 | 197 | 229 | 99 | 54 | 829 | 14.3 | 15.9 | 23.8 | 27.6 | 11.9 | 6.5 |
| Mich. | 16 | 16 | 21 | 20 | 12 | 6 | 91 | 17.3 | 17.0 | 23.4 | 22.4 | 13.5 | 6.4 |
| Wisc. | 32 | 39 | 57 | 55 | 32 | 10 | 225 | 14.2 | 17.4 | 25.2 | 24.6 | 14.0 | 4.6 |
| E. N. C. | 278 | 332 | 495 | 503 | 237 | 128 | 1,973 | 14.1 | 16.8 | 25.1 | 25.5 | 12.0 | 6.5 |
| Minn. | 72 | 68 | 97 | 95 | 38 | 16 | 386 | 18.8 | 17.5 | 25.2 | 24.5 | 9.8 | 4.2 |
| Iowa | 240 | 165 | 254 | 333 | 155 | 69 | 1,216 | 19.7 | 13.6 | 20.9 | 27.4 | 12.7 | 5.7 |
| Mo. | 65 | 82 | 116 | 139 | 83 | 41 | 526 | 12.4 | 15.6 | 22.0 | 26.4 | 15.7 | 7.9 |
| N. Dak. | 8 | 4 | 4 | 5 | 1 | 1 | 23 | 35.3 | 16.2 | 18.7 | 19.8 | 6.7 | 3.3 |
| S. Dak. | 28 | 12 | 17 | 27 | 11 | 4 | 99 | 27.9 | 12.5 | 17.4 | 27.6 | 11.0 | 3.6 |
| Nebr. | 30 | 27 | 41 | 60 | 29 | 15 | 202 | 15.0 | 13.4 | 20.1 | 29.7 | 14.3 | 7.5 |
| Kans. | 16 | 14 | 23 | 29 | 18 | 7 | 107 | 15.1 | 13.3 | 21.2 | 27.5 | 16.8 | 6.1 |
| W. N. C. | 459 | 372 | 552 | 688 | 335 | 153 | 2,559 | 17.9 | 14.5 | 21.6 | 26.9 | 13.1 | 6.0 |
| N. C. | 737 | 704 | 1,047 | 1,191 | 572 | 281 | 4,532 | 16.3 | 15.5 | 23.1 | 26.3 | 12.6 | 6.2 |
| Del. & Md. | 4 | 5 | 6 | 6 | 4 | 1 | 26 | 15.4 | 19.2 | 23.1 | 23.1 | 15.4 | 3.8 |
| Va. | 8 | 13 | 19 | 21 | 11 | 7 | 79 | 10.3 | 16.8 | 24.3 | 26.8 | 13.2 | 8.6 |
| W. Va. | 1 | 1 | 3 | 5 | 3 | 1 | 14 | 7.6 | 8.6 | 21.0 | 34.0 | 19.9 | 8.9 |
| N. Car. | 18 | 26 | 35 | 32 | 21 | 10 | 142 | 12.4 | 18.0 | 24.9 | 22.7 | 14.7 | 7.3 |
| S. Car. | 8 | 11 | 15 | 13 | 10 | 6 | 63 | 12.3 | 17.8 | 23.9 | 21.3 | 15.2 | 9.5 |
| Ge. | 27 | 34 | 43 | 40 | 31 | 20 | 195 | 14.0 | 17.4 | 21.9 | 20.8 | 15.9 | 10.0 |
| Fla. | 6 | 6 | 7 | 11 | 9 | 5 | 44 | 13.7 | 13.7 | 16.9 | 24.2 | 20.9 | 10.6 |
| S. Atl. | 72 | 96 | 128 | 128 | 89 | 50 | 563 | 12.8 | 17.1 | 22.7 | 22.7 | 15.8 | 8.9 |
| Ky. | 18 | 26 | 37 | 40 | 20 | 12 | 153 | 11.7 | 16.8 | 24.4 | 25.9 | 13.3 | 7.9 |
| Tenn. | 20 | 27 | 35 | 34 | 19 | 13 | 148 | 13.4 | 18.5 | 23.8 | 22.6 | 12.8 | 8.9 |
| Ala. | 17 | 26 | 30 | 26 | 18 | 13 | 130 | 13.0 | 19.8 | 23.5 | 20.2 | 13.7 | 9.8 |
| Miss. | 15 | 16 | 19 | 20 | 12 | 7 | 89 | 17.0 | 18.2 | 21.6 | 22.0 | 13.6 | 7.6 |
| Ark. | 8 | 8 | 12 | 11 | 9 | 3 | 51 | 15.1 | 16.2 | 24.5 | 21.4 | 16.9 | 5.9 |
| La. | 5 | 9 | 9 | 9 | 7 | 5 | 44 | 11.0 | 19.9 | 20.4 | 20.7 | 16.6 | 11.4 |
| Okla. | 7 | 9 | 15 | 17 | 10 | 4 | 62 | 11.9 | 14.4 | 24.6 | 27.0 | 15.6 | 6.5 |
| Tex. | 19 | 23 | 32 | 27 | 20 | 12 | 133 | 14.1 | 17.1 | 24.4 | 20.5 | 15.1 | 8.8 |
| S. Cent. | 109 | 144 | 189 | 184 | 115 | 69 | 810 | 13.5 | 17.8 | 23.3 | 22.7 | 14.2 | 8.5 |
| Colo. | 4 | 3 | 4 | 7 | 5 | 2 | 25 | 16.9 | 14.2 | 16.1 | 26.3 | 20.2 | 6.3 |
| Wash. | 2 | 3 | 4 | 4 | 2 | 1 | 16 | 11.7 | 18.0 | 21.3 | 26.9 | 14.8 | 7.3 |
| Oreg. | 3 | 4 | 5 | 4 | 3 | 2 | 21 | 14.5 | 17.2 | 24.3 | 19.8 | 15.3 | 8.9 |
| Calif. | 7 | 6 | 9 | 10 | 7 | 4 | 43 | 15.2 | 14.2 | 20.7 | 23.5 | 17.0 | 9.4 |
| Other West 2/ | 8 | 9 | 11 | 12 | 8 | 4 | 52 | 15.4 | 17.3 | 21.1 | 23.1 | 15.4 | 7.7 |
| West | 24 | 25 | 33 | 37 | 25 | 13 | 157 | 15.3 | 15.9 | 21.0 | 23.6 | 15.9 | 8.3 |
| U. S. | 955 | 986 | 1,422 | 1,566 | 817 | 422 | 6,168 | 15.5 | 16.0 | 23.1 | 25.4 | 13.2 | 6.8 |

1/ Includes Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut, and New Jersey.

2/ Includes Montana, Idaho, Wyoming, New Mexico, Arizona, Utah and Nevada.

Sows farrowing, by quarters, selected Corn Belt States

| State | June through August | | | | September through November | | | |
|-----------------|---------------------|------------|------------|-------------------|----------------------------|------------|------------|-------------------|
| | Average | 1958 | 1959 | 1959 as % of 1958 | Average | 1958 | 1959 | 1959 as % of 1958 |
| | 1948-57 | | | | 1948-57 | | | |
| | 1,000 head | 1,000 head | 1,000 head | Percent | 1,000 head | 1,000 head | 1,000 head | Percent |
| Ohio..... | 153 | 160 | 178 | 111 | 185 | 151 | 152 | 101 |
| Ind..... | 309 | 329 | 299 | 91 | 220 | 179 | 199 | 111 |
| Ill..... | 289 | 418 | 447 | 107 | 337 | 364 | 382 | 105 |
| Wisc..... | 96 | 132 | 128 | 97 | 85 | 91 | 97 | 107 |
| Minn..... | 163 | 218 | 237 | 109 | 125 | 160 | 149 | 93 |
| Iowa..... | 492 | 609 | 659 | 108 | 442 | 560 | 557 | 99 |
| Mo..... | 187 | 239 | 263 | 110 | 235 | 239 | 263 | 110 |
| S. Dak..... | 36 | 58 | 57 | 98 | 29 | 52 | 42 | 81 |
| Nebr..... | 69 | 95 | 98 | 103 | 99 | 111 | 104 | 94 |
| Kans..... | 40 | 52 | 53 | 102 | 63 | 54 | 54 | 100 |
| Total 10 States | 1,833 | 2,310 | 2,419 | 105 | 1,819 | 1,961 | 1,999 | 102 |

| State | December 1/ through February | | | | March through May | | | |
|-----------------|------------------------------|------------|------------|-------------------|-------------------|------------|------------|-------------------|
| | Average | 1959 | 1960 2/ | 1960 as % of 1959 | Average | 1959 | 1960 2/ | 1960 as % of 1959 |
| | 1948-57 | | | | 1948-57 | | | |
| | 1,000 head | 1,000 head | 1,000 head | Percent | 1,000 head | 1,000 head | 1,000 head | Percent |
| Ohio..... | 121 | 160 | 146 | 91 | 268 | 208 | 207 | 100 |
| Ind..... | 226 | 315 | 271 | 86 | 347 | 265 | 251 | 95 |
| Ill..... | 188 | 363 | 316 | 87 | 738 | 611 | 561 | 92 |
| Wisc..... | 57 | 121 | 101 | 83 | 263 | 198 | 180 | 91 |
| Minn..... | 74 | 188 | 147 | 78 | 559 | 420 | 370 | 88 |
| Iowa..... | 246 | 537 | 453 | 84 | 1,634 | 1,239 | 1,110 | 90 |
| Mo..... | 142 | 225 | 200 | 89 | 350 | 342 | 327 | 96 |
| S. Dak..... | 17 | 53 | 34 | 64 | 300 | 268 | 191 | 71 |
| Nebr..... | 51 | 124 | 104 | 84 | 396 | 290 | 227 | 78 |
| Kans..... | 39 | 63 | 48 | 76 | 112 | 92 | 76 | 83 |
| Total 10 States | 1,162 | 2,149 | 1,820 | 85 | 4,966 | 3,933 | 3,500 | 89 |

1/ December preceding year.

2/ Number indicated by breeding intentions reports.

Hogs and pigs: Number on farms by classes December 1, selected Corn Belt States

| State | Under 3 months | | | | 3 to 6 months | | | |
|------------|----------------|--------|--------|---------|---------------|--------|--------|---------|
| | 1959 as | | | | 1959 as | | | |
| | 1957 | 1958 | 1959 | % of | 1957 | 1958 | 1959 | % of |
| | 1,000 | 1,000 | 1,000 | 1958 | 1,000 | 1,000 | 1,000 | 1958 |
| | head | head | head | Percent | head | head | head | Percent |
| Ohio..... | 1,042 | 1,091 | 1,061 | 97 | 920 | 980 | 1,070 | 109 |
| Ind..... | 1,215 | 1,315 | 1,400 | 106 | 1,989 | 2,210 | 1,934 | 88 |
| Ill..... | 2,365 | 2,615 | 2,690 | 103 | 2,250 | 2,690 | 2,778 | 103 |
| Wisc..... | 575 | 640 | 640 | 100 | 615 | 705 | 698 | 99 |
| Minn..... | 863 | 1,155 | 1,010 | 87 | 1,154 | 1,450 | 1,540 | 106 |
| Iowa..... | 3,484 | 4,100 | 3,930 | 96 | 3,491 | 4,310 | 4,580 | 106 |
| Mo..... | 1,494 | 1/ | 1,830 | 1/ | 1,192 | 1/ | 1,550 | 1/ |
| S. Dak.... | 237 | 368 | 283 | 77 | 263 | 375 | 371 | 99 |
| Nebr..... | 695 | 773 | 730 | 94 | 455 | 635 | 630 | 99 |
| Kans..... | 330 | 385 | 383 | 92 | 230 | 345 | 355 | 103 |
| Total 9 | | | | | | | | |
| States 2/ | 10,806 | 12,442 | 12,127 | 97 | 11,367 | 13,700 | 13,956 | 102 |
| Total 10 | | | | | | | | |
| States | 12,300 | 1/ | 13,957 | 1/ | 12,559 | 1/ | 15,506 | 1/ |

| State | Total under 6 months | | | | 6 months and older | | | | All hogs and pigs | | | |
|----------|----------------------|--------|--------|------|--------------------|--------|--------|------|-------------------|--------|--------|------|
| | 1959 as | | | | 1959 as | | | | 1959 as | | | |
| | 1957 | 1958 | 1959 | % of | 1957 | 1958 | 1959 | % of | 1957 | 1958 | 1959 | % of |
| | 1,000 | 1,000 | 1,000 | 1958 | 1,000 | 1,000 | 1,000 | 1958 | 1,000 | 1,000 | 1,000 | 1958 |
| | head | head | head | Per- | head | head | head | cent | head | head | head | cent |
| Ohio.... | 1,962 | 2,071 | 2,131 | 103 | 827 | 774 | 828 | 107 | 2,789 | 2,845 | 2,959 | 104 |
| Ind.... | 3,204 | 3,525 | 3,334 | 95 | 1,390 | 1,437 | 1,479 | 103 | 4,594 | 4,962 | 4,813 | 97 |
| Ill.... | 4,615 | 5,305 | 5,468 | 103 | 2,465 | 2,483 | 2,632 | 106 | 7,080 | 7,788 | 8,100 | 104 |
| Wis.... | 1,190 | 1,345 | 1,338 | 99 | 752 | 694 | 681 | 98 | 1,942 | 2,039 | 2,019 | 99 |
| Minn.... | 2,017 | 2,605 | 2,550 | 98 | 1,714 | 1,723 | 1,648 | 96 | 3,731 | 4,328 | 4,198 | 97 |
| Iowa.... | 6,975 | 8,410 | 8,510 | 101 | 5,335 | 5,377 | 5,415 | 101 | 12,310 | 13,787 | 13,925 | 101 |
| Mo.... | 2,686 | 1/ | 3,380 | 1/ | 1,363 | 1/ | 1,540 | 1/ | 4,049 | 1/ | 4,920 | 1/ |
| S. Dak.. | 500 | 743 | 654 | 88 | 1,073 | 1,192 | 991 | 83 | 1,573 | 1,935 | 1,645 | 85 |
| Nebr.... | 1,150 | 1,408 | 1,360 | 97 | 1,130 | 1,260 | 1,308 | 104 | 2,280 | 2,668 | 2,668 | 100 |
| Kans.... | 560 | 730 | 738 | 101 | 353 | 402 | 405 | 101 | 913 | 1,132 | 1,143 | 101 |
| Total 9: | | | | | | | | | | | | |
| States | 26,142 | | 100 | | 15,342 | | 100 | | 41,484 | | 100 | |
| 2/ | 22,173 | 26,083 | | | 15,039 | 15,387 | | | 37,212 | 41,470 | | |
| Total | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| States | 24,859 | 1/ | 29,463 | 1/ | 16,402 | 1/ | 16,927 | 1/ | 41,261 | 1/ | 46,390 | 1/ |

1/ Not available
2/ Excludes Missouri

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
AGRICULTURAL ESTIMATES DIVISION
WASHINGTON 25, D.C.

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS